Authors

Abadie, M. J. M., Schué, F., Souel, T. and Richards, D. H.: Block copolymers prepared by anion to free radical transformation process: 2. Homolytic scission of C–Pb bond of lead trialkyl-terminated polymers both thermally and by transition metal salts, 1076

Abadie, M. J. M.: *see* Cohen, P., 1316

Abbas, Kent B.: Degradational effects on bisphenol A polycarbonate extruded at high shear stresses, 836

Abenoza, Michel and Armenguad, Alain: Laser Raman spectrum of isotactic polybutene-l fibres, 1341

Abramenko, E. L.: *see* Syatkowsky, A. I., 1554

Achard, M. F.: *see* Noel, C., 578

Acierno, D.: *see* Piccarolo, S., 850

Adachi, Keiichiro; Harrison, Gilroy; Lamb, John; North, Alastair M. and Pethrick, Richard A.: Ultrasonic studies of morphology and stress relaxation in drawn PP, 1026: High frequency ultrasonic studies of PE, 1032

Adam, Randall E.: *see* Smith, Thor L., 299

Agarwal, V. K.: *see* Gupta, A. K., 285

Aharoni, Shaul M.: Rigid backbone polymers: XXI. Stress–strain behaviour in rodlike polyisocyanates, 418

Aharoni, S. M.: *see* Moscicki, J. K., 571

Aharoni, S. M.: *see* Moscicki, J. K., 1361

Allen, Geoffrey: *see* Richards, Randal W., 147

Allen, Geoffrey: *see* Richards, Randal W., 153

Allen, Geoffrey: *see* Richards, Randal W., 158

Allen, Geoffrey: *see* Maconnachie, Ann, 1157

Allen, S. M., Stannett, V. and Hopfenberg, H.B.: Noble gas transport in PMVK and PMVE, 912

Al-Kass, S.: *see* Ledwith, A., 143

Al-Sayed Salem, M.: *see* Morsi, S. E., 942

Akay, M.: Roll embossing on PP film, 5

Akcasu, A. Ziya: *see* Han, Charles C., 1019

Akcasu, A. Ziya: *see* Han, Charles C., 1165

Akcasu, A. Z.: Temperature and concentration dependence of diffusion coefficient in dilute solutions, 1169

Anand, M., Cohen, R. E. and Baddour, R. F.: Surface modification of LDPE in a fluorine gas plasma, 361

Andreani, Franco; Angeloni, Annino Sante; Angiolini, Luigi; Costa Bizzarri, Paolo; Della Casa, Carlo; Fini, Adamo; Ghedini, Nadia; Tramontini, Maurilio and Ferruti, Paolo: Poly(β-ketothioethers) by condensation of bis-β-dialkylaminoketones with bis-thiols, 270

Andrew, E. R., Bryant, D. J., Cashell, E. M., Gaspar Jr., R. and Meng, Q. A.: Proton magnetic relaxation and dynamics of poly-L-proline and polyglycine, 715

Ando, Isao and Sato, Kazuo: ^{1}H n.m.r. relaxation and molecular motion of liquid n-paraffin by isotropic dilution study, 413

Angeloni, Annino Sante: *see* Andreani, Franco, 270

Angiolini, Luigi: *see* Andreani, Franco, 270

Apicella, A., Nicolais, L., Astarita, G. and Drioli, E.: Hygrothermal history dependence of equilibrium moisture sorption in epoxy resins, 1064

Arai, Yoshihiro; Tai, Kazuo; Teranishi, Hiroichi and Tagawa, Takashi: Hydrolytic polymerization of ϵ-caprolactam, kinetics of: 3. Cyclic dimer formation, 273

Armengaud, Alain: *see* Abenoza, Michel, 1341

Arrighetti, S.: *see* De Chirico, A., 529

Askill, I. N. and Gilding, D. K.: Monomer feed system producing copolymers from widely differing comonomers, 342

Askill, I. N.: *see* Gilding, D. K., 505

Assink, R. A.: *see* Sayre, J. A., 87

Astarita, G.: *see* Apicella, A., 1064

Atkins, E. D. T., Keller, A., Shapiro, J. S. and Lemstra, P. J.: Extended-chain structure for isotactic PS: additional X-ray diffraction and calirometric results, 1161

Attwood, T. E., Dawson, P. C., Freeman, J. L., Hoy, L. R. J., Rose, J. B. and Staniland, P. A.: Synthesis and properties of polyaryletherketones, 1096

Aubin, Madeleine and Prud'homme, Robert E.: Preparation and properties of poly(valerolactone), 1223

Auvray, P.: *see* Froyer, G., 992

Babitsky, B. D.: *see* Syatkowsky, A. I., 1554

Baddour, R. F.: *see* Anand, M., 361

Bagdonaite, V. A., Juskeviciute, S. S. and Shlyapnikov, Yu. A.: Macro- and microviscosity of high polymer solutions, 145

Bailey, F. C.: *see* Gibson, Harry W., 1068

Bajaj, P. and Varshney, S. K.: Crosslinking of polydimethylsiloxane diol blended with poly(dimethylsiloxane-b-styrene-b-dimethylsiloxane), 372

Bajaj, P. and Khanna, D. N.: Aliphatic–aromatic copolyesters: synthesis and crystallization studies, 1522

Baker, F. S.: *see* Clark, D. T., 1303

Ball, R. C., Doi, M., Edwards, S. F. and Warner, M.: Elasticity of entangled networks, 1010

Ballard, D. G. H., Burgess, A. N., Cheshire, P., Janke, E. W. and Nevin, A.: SANS study of amorphous polycarbonate, 1353

Ballistreri, Alberto; Foti, Salvatore; Maravigna, Pietro; Montaudo, Giorgio and Scamporrino, Emilio: Thermal decomposition mechanism of poly(vinylidene chloride), 131

Bamford, C. H. and Schofield, E.: Non-classical free-radical polymerization: Degradative addition to monomer in the polymerization of 1-vinylimidazole, 1227

Bamford, C. H. and Han, Xiao-zu: Synthesis of completely-alternating block polymers, 1299

Bandyopadhyay, S. and Brown, H. R.: Environmental stress cracking of low M.wt. HDPE, 245

Banerjee, Monoranjan; Sathpathy, Umashankar; Paul, Tarun K. and Konar, Ranajit S.: Mechanism of the emulsion polymerization of methyl acrylate: 1. Initiation, 1729

Bannister, D. J. and Semlyen, J. A.: Cyclic and linear poly(dimethylsiloxanes): 6. Effect of heat, 377

Barrie, J. A.: *see* Majid, M. A., 1104

Barlow, J. W.: *see* Ziska, J. J., 918

Barnett, K. G., Cosgrove, T., Vincent, B., Burgess, A. N., Crowley, T. L., King, T., Turner, J. D. and Tadros, Th. F.: Neutron scattering, n.m.r. and photon correlations of polymers absorbed at solid solution interface, 283

Baumgärtner, A.: Self-entanglement effects on the Rouse dynamics of a polymer, 1308

Beckett, D. R.: *see* Blundell, D. J., 704

Beinert, Gérard: *see* Chaumont, Phillipe, 663

Bello, A.: *see* Garza, J., 477

Benoit, Henri: *see* Leibler, Ludwig, 195

Bernier, P.: *see* Rachdi, F., 1605

Bezjak, A.: *see* Smit, I., 590

Bhateja, S. K.: Uniaxial tensile creep behaviour in linear PE, 23

Bhattacharyya, Swapan K.: Dilatometric studies on PVC–Cu composite, 142

Bhoraskar, S. V.: *see* Jog, J. P., 865

Bigg, D. M., Leininger, R. I. and Lee, C. S.: Stress cracking of PMMA–ethyl acrylate copolymer, 539

Bikson, Benjamin; Jagur-Grodzinski, Joseph and Vofsi, David: Polarized i.r. studies of sulphochlorinated PE and its hydrolysis products, 640

Billaud, D.: *see* Rachdi, F., 1605

Birley, A. W., Dawkins, J. V., Kyriacos, D. and Bunn, A.: Unsaturated polyesters based on terephthalic acid: 4. Crosslink distribution of styrene cured resins, 812

Biswas, Mukul and Mishra, Girish Chandra: Stereospecific polymerization of *N*-vinylcarbazole by $ZnEt_2/CoCl_2$–pyridine catalyst system, 1319

Blackwell, J. and Nagarajan, M. R.: Poly (MDI-butandiol) hard segment in polyurethane elastomers, 202

Blackwell, J, Nagarajan, M. R. and Hoitink, T. B.: Structure of polyurethane elastomers. X-ray diffraction and conformational analysis of MDI–propandiol and MDI–ethylene glycol hard segments, 1534

Bleha, T.: Origin of the pressure variation of front factor in rubber elasticity, 1314

Bleijenberg, A. C. A. M.: *see* Sjoerdsma, S. D., 619

Bluemke, D. A.: *see* Van Bogart, J. W. C., 1428

Blundell, D. J., Beckett, D. R. and Willcocks, P. H.: Routine crystallinity measurements of polymers by d.s.c., 704

Boileau, Sylvie: *see* Deffieux, Alain, 549

Bokobza, Liliane and Monnerie, Lucien: Excimer formation of poly(α-methylstyrenes) in solution, 235

Bokobza, L., Pajot, E., Monnerie, L., Bouas-Laurent, H. and Castellan, A.: A new convenient fluorescence molecule for probing molecular motions in bulk polymers: 10,10′-Diphenyl-bis-9-anthrylmethyloxide (Diphant), 1309

Bonner, P.: *see* Ledwith, A., 143

Boorga Rao, B. and Mhaskar, R. D.: Minimum end time policies in batch, chain addition polymerizations, 1593

Borsig, Eberhard and Szöcs, František: High pressure effect on PE crosslinking initiated by benzoyl peroxide, 1400

Bosscher, F., Keekstra, D. and Challa, G.: Stereocomplex formation between polyalkylmethacrylates, influence of ester groups, 124

Authors

Abadie, M. J. M., Schué, F., Souel, T. and Richards, D. H.: Block copolymers prepared by anion to free radical transformation process: 2. Homolytic scission of C–Pb bond of lead trialkyl-terminated polymers both thermally and by transition metal salts, 1076

Abadie, M. J. M.: *see* Cohen, P., 1316

Abbas, Kent B.: Degradational effects on bisphenol A polycarbonate extruded at high shear stresses, 836

Abenoza, Michel and Armenguad, Alain: Laser Raman spectrum of isotactic polybutene-l fibres, 1341

Abramenko, E. L.: *see* Syatkowsky, A. I., 1554

Achard, M. F.: *see* Noel, C., 578

Acierno, D.: *see* Piccarolo, S., 850

Adachi, Keiichiro; Harrison, Gilroy; Lamb, John; North, Alastair M. and Pethrick, Richard A.: Ultrasonic studies of morphology and stress relaxation in drawn PP, 1026: High frequency ultrasonic studies of PE, 1032

Adam, Randall E.: *see* Smith, Thor L., 299

Agarwal, V. K.: *see* Gupta, A. K., 285

Aharoni, Shaul M.: Rigid backbone polymers: XXI. Stress–strain behaviour in rodlike polyisocyanates, 418

Aharoni, S. M.: *see* Moscicki, J. K., 571

Aharoni, S. M.: *see* Moscicki, J. K., 1361

Allen, Geoffrey: *see* Richards, Randal W., 147

Allen, Geoffrey: *see* Richards, Randal W., 153

Allen, Geoffrey: *see* Richards, Randal W., 158

Allen, Geoffrey: *see* Maconnachie, Ann, 1157

Allen, S. M., Stannett, V. and Hopfenberg, H.B.: Noble gas transport in PMVK and PMVE, 912

Al-Kass, S.: *see* Ledwith, A., 143

Al-Sayed Salem, M.: *see* Morsi, S. E., 942

Akay, M.: Roll embossing on PP film, 5

Akcasu, A. Ziya: *see* Han, Charles C., 1019

Akcasu, A. Ziya: *see* Han, Charles C., 1165

Akcasu, A. Z.: Temperature and concentration dependence of diffusion coefficient in dilute solutions, 1169

Anand, M., Cohen, R. E. and Baddour, R. F.: Surface modification of LDPE in a fluorine gas plasma, 361

Andreani, Franco; Angeloni, Annino Sante; Angiolini, Luigi; Costa Bizzarri, Paolo; Della Casa, Carlo; Fini, Adamo; Ghedini, Nadia; Tramontini, Maurilio and Ferruti, Paolo: Poly(β-ketothioethers) by condensation of bis-β-dialkylaminoketones with bis-thiols, 270

Andrew, E. R., Bryant, D. J., Cashell, E. M., Gaspar Jr., R. and Meng, Q. A.: Proton magnetic relaxation and dynamics of poly-L-proline and polyglycine, 715

Ando, Isao and Sato, Kazuo: ^{1}H n.m.r. relaxation and molecular motion of liquid n-paraffin by isotropic dilution study, 413

Angeloni, Annino Sante: *see* Andreani, Franco, 270

Angiolini, Luigi: *see* Andreani, Franco, 270

Apicella, A., Nicolais, L., Astarita, G. and Drioli, E.: Hygrothermal history dependence of equilibrium moisture sorption in epoxy resins, 1064

Arai, Yoshihiro; Tai, Kazuo; Teranishi, Hiroichi and Tagawa, Takashi: Hydrolytic polymerization of ϵ-caprolactam, kinetics of: 3. Cyclic dimer formation, 273

Armengaud, Alain: *see* Abenoza, Michel, 1341

Arrighetti, S.: *see* De Chirico, A., 529

Askill, I. N. and Gilding, D. K.: Monomer feed system producing copolymers from widely differing comonomers, 342

Askill, I. N.: *see* Gilding, D. K., 505

Assink, R. A.: *see* Sayre, J. A., 87

Astarita, G.: *see* Apicella, A., 1064

Atkins, E. D. T., Keller, A., Shapiro, J. S. and Lemstra, P. J.: Extended-chain structure for isotactic PS: additional X-ray diffraction and calirometric results, 1161

Attwood, T. E., Dawson, P. C., Freeman, J. L., Hoy, L. R. J., Rose, J. B. and Staniland, P. A.: Synthesis and properties of polyaryletherketones, 1096

Aubin, Madeleine and Prud'homme, Robert E.: Preparation and properties of poly(valerolactone), 1223

Auvray, P.: *see* Froyer, G., 992

Babitsky, B. D.: *see* Syatkowsky, A. I., 1554

Baddour, R. F.: *see* Anand, M., 361

Bagdonaite, V. A., Juskeviciute, S. S. and Shlyapnikov, Yu. A.: Macro- and microviscosity of high polymer solutions, 145

Bailey, F. C.: *see* Gibson, Harry W., 1068

Bajaj, P. and Varshney, S. K.: Crosslinking of polydimethylsiloxane diol blended with poly(dimethylsiloxane-b-styrene-b-dimethylsiloxane), 372

Bajaj, P. and Khanna, D. N.: Aliphatic–aromatic copolyesters: synthesis and crystallization studies, 1522

Baker, F. S.: *see* Clark, D. T., 1303

Ball, R. C., Doi, M., Edwards, S. F. and Warner, M.: Elasticity of entangled networks, 1010

Ballard, D. G. H., Burgess, A. N., Cheshire, P., Janke, E. W. and Nevin, A.: SANS study of amorphous polycarbonate, 1353

Ballistreri, Alberto; Foti, Salvatore; Maravigna, Pietro; Montaudo, Giorgio and Scamporrino, Emilio: Thermal decomposition mechanism of poly(vinylidene chloride), 131

Bamford, C. H. and Schofield, E.: Non-classical free-radical polymerization: Degradative addition to monomer in the polymerization of 1-vinylimidazole, 1227

Bamford, C. H. and Han, Xiao-zu: Synthesis of completely-alternating block polymers, 1299

Bandyopadhyay, S. and Brown, H. R.: Environmental stress cracking of low M.wt. HDPE, 245

Banerjee, Monoranjan; Sathpathy, Umashankar; Paul, Tarun K. and Konar, Ranajit S.: Mechanism of the emulsion polymerization of methyl acrylate: 1. Initiation, 1729

Bannister, D. J. and Semlyen, J. A.: Cyclic and linear poly(dimethylsiloxanes): 6. Effect of heat, 377

Barrie, J. A.: *see* Majid, M. A., 1104

Barlow, J. W.: *see* Ziska, J. J., 918

Barnett, K. G., Cosgrove, T., Vincent, B., Burgess, A. N., Crowley, T. L., King, T., Turner, J. D. and Tadros, Th. F.: Neutron scattering, n.m.r. and photon correlations of polymers absorbed at solid solution interface, 283

Baumgärtner, A.: Self-entanglement effects on the Rouse dynamics of a polymer, 1308

Beckett, D. R.: *see* Blundell, D. J., 704

Beinert, Gérard: *see* Chaumont, Phillipe, 663

Bello, A.: *see* Garza, J., 477

Benoit, Henri: *see* Leibler, Ludwig, 195

Bernier, P.: *see* Rachdi, F., 1605

Bezjak, A.: *see* Smit, I., 590

Bhateja, S. K.: Uniaxial tensile creep behaviour in linear PE, 23

Bhattacharyya, Swapan K.: Dilatometric studies on PVC–Cu composite, 142

Bhoraskar, S. V.: *see* Jog, J. P., 865

Bigg, D. M., Leininger, R. I. and Lee, C. S.: Stress cracking of PMMA–ethyl acrylate copolymer, 539

Bikson, Benjamin; Jagur-Grodzinski, Joseph and Vofsi, David: Polarized i.r. studies of sulphochlorinated PE and its hydrolysis products, 640

Billaud, D.: *see* Rachdi, F., 1605

Birley, A. W., Dawkins, J. V., Kyriacos, D. and Bunn, A.: Unsaturated polyesters based on terephthalic acid: 4. Crosslink distribution of styrene cured resins, 812

Biswas, Mukul and Mishra, Girish Chandra: Stereospecific polymerization of *N*-vinylcarbazole by $ZnEt_2/CoCl_2$–pyridine catalyst system, 1319

Blackwell, J. and Nagarajan, M. R.: Poly (MDI-butandiol) hard segment in polyurethane elastomers, 202

Blackwell, J, Nagarajan, M. R. and Hoitink, T. B.: Structure of polyurethane elastomers. X-ray diffraction and conformational analysis of MDI–propandiol and MDI–ethylene glycol hard segments, 1534

Bleha, T.: Origin of the pressure variation of front factor in rubber elasticity, 1314

Bleijenberg, A. C. A. M.: *see* Sjoerdsma, S. D., 619

Bluemke, D. A.: *see* Van Bogart, J. W. C., 1428

Blundell, D. J., Beckett, D. R. and Willcocks, P. H.: Routine crystallinity measurements of polymers by d.s.c., 704

Boileau, Sylvie: *see* Deffieux, Alain, 549

Bokobza, Liliane and Monnerie, Lucien: Excimer formation of poly(α-methylstyrenes) in solution, 235

Bokobza, L., Pajot, E., Monnerie, L., Bouas-Laurent, H. and Castellan, A.: A new convenient fluorescence molecule for probing molecular motions in bulk polymers: 10,10′-Diphenyl-bis-9-anthrylmethyloxide (Diphant), 1309

Bonner, P.: *see* Ledwith, A., 143

Boorga Rao, B. and Mhaskar, R. D.: Minimum end time policies in batch, chain addition polymerizations, 1593

Borsig, Eberhard and Szöcs, František: High pressure effect on PE crosslinking initiated by benzoyl peroxide, 1400

Bosscher, F., Keekstra, D. and Challa, G.: Stereocomplex formation between polyalkylmethacrylates, influence of ester groups, 124

Botto, Paolo: *see* Danusso, Ferdinando, 1257
Bouas-Laurent, H.: *see* Bokobza, L., 1309
Boucher, David G. and Parsons, Ian W.: Polymerization of styrene with a Mg-reduced Ti-Chloride catalyst, 255
Bowmer, Trevor N. and O'Donnell, James H.: Post-irradiation thermal degradation of poly(olefin sulphones), 71
Braud, Christian: *see* Vert, Michel, 1683
Brebner, K. I., Brown, G. R., Chahal, R. S. and St-Pierre, L. E.: Adsorption of poly (dimethyl siloxanes) from solution on silica: 2., 56
Bretz, P. E., Hertzberg, R. W. and Manson, J. A.: Crack growth rate and fracture mode transitions in LDPE, 575
Bretz, P. E., Hertzberg, R. W. and Manson, J. A.: Mechanisms of fatigue damage and fracture in semi-crystalline polymers, 1272
Brewis, D. M. and Briggs, D.: Adhesion to PE and PP, 7
Briggs, D.: *see* Brewis, D. M., 7
Brinker, B. A.: *see* Peiffer, D. G., 450
Briscoe, B. J. and Smith, A. C.: Polymer friction and polymer yield: a comparison, 1587
Brown, D. S.: *see* Warner, F. P., 1349
Brown, G. R.: *see* Brebner, K. I., 56
Brown, H. R.: *see* Bandyopadhyay, S., 245
Brown, Hugh R. and Kramer, Edward J.: Effect of surface tension on the stress in environmental crazes, 687
Brown, W. and Johnsen, R. M.: Diffusion in polyacrylamide gels, 185
Brozoski, B. A.: *see* Coleman, M. M., 762
Bruzzone, M.: *see* De Chirico, A., 529
Bryant, D. J.: *see* Andrew, E. R., 715
Bubeck, R. A.: Kinetics of environmental stress cracking in HDPE, 682
Buchan, Gavin M.: *see* Cameron, G. Gordon, 558
Buckingham, K. A.: *see* Willis, H. A., 20
Bukowski, Andrzej and Osowiecka, Blandyna: Copolymerization reaction in melted asphalt, 1415
Bunel, C. and Marechal, E.: Penultimate effect in the cationic copolymerization of 1-isopropenyl naphthalene with styrene, 844
Bunn, A.: *see* Birley, A. W., 812
Bur, Anthony J.: Resistivity and piezoelectric measurements on oriented and unoriented thick PVF_2 films, 1288
Burchard, Walther: *see* Kajiwara, Kanji, 1621
Burchell, D. J. and Hsu, S. L.: Structure of PE solid solutions: 2. Aspects of spectral deconvolution, 907
Burgess, A. N.: *see* Barnett, K. G., 283
Burgess, A. N.: *see* Ballard, D. G. H., 1353
Burrage, M. E.: *see* Luxton, Alan R., 382
Burrows, Hugh D., Ellis, Henry A. and Utah, Stanley I.: Adsorbed metal ions as stabilizers for the thermal degradation of polyacrylamide, 1740
Bywater, S. and Toporowski, P. M.: Optical properties of styrene–isoprene copolymers, 29

Cameron, G. Gordon and Law, Kia Sang: Polyester synthesis from polymerizations involving *m*-xylylene, 272
Cameron, G. Gordon, Burchan, Gavin M. and Law, Kia-Sang: Polyester synthesis by phase transfer catalysis, 558
Camparada, Vincenzo: *see* Danusso, Ferdinando, 1257
Candau, S., Peters, A. and Herz, J.: Experimental evidence for trapped chain entanglements: Their influence on macroscopic behaviour of networks, 1504
Cashell, E. M.: *see* Andrew, E. R., 715
Castellan, A.: *see* Bokobza, L., 1309
Caroline, David: Photon correlation spectroscopy applied to dilute polymer solutions, histogram method, 576
Caubere, P.: *see* Ndebeka, G., 347
Caubere, P.: *see* Raynal, S., 356
Caubére, P.: *see* Raynal, S., 1425
Caunt, Anthony D.: *see* Licchelli, John A., 667
Caunt, Anthony D.: *see* Licchelli, John A., 1558
Citovický, P.: *see* Chrástová, V., 1054
Clark, D. T., Stephenson, P. J. and Heatley, F.: Partial degrees of substitution in cellulose nitrates determined by means of ^{13}C magnetic resonance studies, 1112
Clark, D. T., Stephenson, P. J., Lewis, T. J. and Baker, F. S.: Surface chemistry of double based (nitrocellulose–nitroglycerin) propellants as revealed by e.s.c.a., 1303
Clark, E. S.: *see* Weeks, J. J., 1480
Clark, E. S.: *see* Weeks, J. J., 1496
Chahal, R. S.: *see* Brebner, K. I., 56
Chai, C. K. and Thomas, A. G.: Creep and recovery of unvulcanized natural rubber, 399
Challa, G.: *see* Bosscher, F., 124
Challa, G.: *see* Vorenkamp, E. J., 1705
Challa, G.: *see* Koetsier, D. W., 1709
Chalykh, A. E.: *see* Malkin, A. Ya., 1373
Chamizo, J. A., Mendoza-Diaz, G. and Gázquez, J. L.: Charge transfer complex between maleic anhydride and pyridine, 129
Chandra, R., Singh, B. P., Singh, S. and Handa, S. P.: Photodegradation of poly (2,6-dimethyl-1,4 phenylene oxide) film with metal isopropylxanthates, 523
Chantry, G. W.: *see* Frank, W. F. X., 17
Chapelet-Letourneux, Gilbert: *see* Serre, Brigitte, 513, 519
Charlet, Gérard and Delmas, Geneviève: Thermodynamic properties of polyolefin solutions at high temperatures of PE, PP, and ethylene–propylene copolymers in hydrocarbon solvents, 1181
Charlet, Gérard; Ducasse, Romain and Delmas, Geneviève: Lower critical solubility temperatures for polybutene-1, polypentene-1 and poly(4-methylpentene-1) in hydrocarbon solvents and polymer–solvent interaction for PB1 and one ethylene–propylene copolymer, 1190
Chatani, Yozo: *see* Tashiro, Kohji, 1312
Chaumont, Phillipe; Beinert, Gérard; Herz, Jean and Rempp, Paul: Multiblock copolymers containing poly(dimethyl siloxane) blocks, synthesis and characterization, 663
Chen, F. C.: *see* Choy, C. L., 543
Cherry, B. W. and Hin, Teoh Swee: Stress whitening in PE, 1610
Cheshire, P.: *see* Ballard, D. G. H., 1353
Chiang, C. K.: An all-polymeric solid state battery, 1454
Chiang, Teh-Chang and Ng, Shiu-Lan: Polysulphone–arylate block copolymers, 3
Chiang, Teh-Chang: 2-propioxy- and 2-isobutyroxy-acrylic esters, 560
Chiappori, Carmen; Russo, Saverio; Turturro, Antonio; Passerone, Alberto and Sangiorgi, Roberto: Wettability of glass substrates by molten nylon-6, 534
Chiellini, Emo: *see* Galli, Giancarlo, 1088
Chodak, I.: *see* Kunert, K. A., 1677
Chosson, A.: *see* Hecht, A. M., 877
Choy, C. L., Luk, W. K. and Chen, F. C.: Mechanical relaxations in polybutene-1 and poly-4-methylpentene-1, 543
Chrástová, V., Mikulásová, D., Lacok, J. and Citovický, P.: Extremely high m. wt. PS in solution, properties, 1054
Cohen, P., Abadie, M. J. M., Schue, F. and Richards, D. H.: Block copolymers synthesis via anionic to Ziegler–Natta transformation reaction, 1316
Cohen, R. E.: *see* Anand, M., 361
Cohen-Addad, J. P.: *see* Sauviat, M., 461
Coleman, M. M., Varnell, D. F., Brozoski, B. A. and Painter, P. C.: Vibrational spectra poly-1,1,2,2-tetrachlorobutane, a model for head-to-head poly(vinylidene chloride), 762
Coleman, M. M.: *see* Varnell, D. F., 1324
Cook, C. C.: *see* Guthrie, J., 1439
Cook, Robert; Schweitzer, Eric; Shuldiner, Alan; Market, Cynthia and Felmy, William: Poly(2,2-dialkyltrimethylene sulphones), preparation and properties, 1283
Cooper, S. L.: *see* Van Bogart, J. W. C., 1428
Corley, T. J.: *see* Peiffer, D. G., 450
Cosgrove, T.: *see* Barnett, K. G., 283
Costa Bizzarri, Paolo: *see* Andreani, Franco, 270
Costa Bizzarri, P., Della Casa, C. and Monaco, A.: Thermally obtained poly[4,4″(*p*-terephenylene)amide], 1263
Cowie, J. M. G., Haq, Z., McEwen, I. J. and Velickovič, J.: Poly(alkyl itaconates): 8. Dual T_g s and crystallinity in diheptyl to di-eicosyl ester series, 327
Cox, Michael K.: *see* Heatley, Frank, 190
Cox, Michael K.: *see* Heatley, Frank, 288
Crofton, Derek J. and Pethrick, Richard A.: Proton migration and relaxation in wet cellulose and its derivatives, dielectric studies, 1048
Crowley, T. L.: *see* Barnett, K. G., 283
Cudby, M. E. A.: *see* Frank, W. F. X., 17
Cudby, M. E. A.: *see* Cutler, D. J., 726
Cudby, M. E. A.: *see* Glotin, M., 731
Cunliffe, A. V.: *see* Daly, J., 32
Cunliffe, A. V., Hartley, D. B., Kingston, S. B., Richards, D. H. and Thompson, D.: Reactions of living polyTHF with amines: 1. Pyridine, 101
Cunliffe, A. V., Richards, D. H. and Robertson, F.: Reactions of living polyTHF with amines: 2. Other tertiary amines, 108
Cunliffe, A. V.: *see* Delides, C., 1205
Cunningham, A.: Aggregate model for modulus anisotropy of low density cellular plastics, 882
Cutler, D. J., Hendra, P. J., Rahalkar, R. R. and Cudby, M. E. A.: Vibrational spectra of crystalline PTFE, 726

Daly, J., Pethrick, R. A., Fuller, P., Cunliffe, A. V. and Datta, P. K.: Rubber-modified epoxy resins: 1. Equilibrium physical properties, 32
Daly, John and Pethrick, Richard A.: Rubber-modified epoxy resins: 2. Dielectric and ultrasonic relaxation studies, 37
Danusso, Ferdinando; Ferruti, Paolo; Tieghi, Giuseppe; Botto, Paolo and Camparada, Vincenzo: An attempt to synthesize regular cresolic resins through solid state polycondensation, 1257

Datta, P. K.: *see* Daly, J., 32
Dawkins, J. V. and Gabbott, N. P.: Polyacrylamide gel particles for aqueous high performance g.p.c. of PEO, 291
Dawkins, J. V.: *see* Birley, A. W., 812
Dawson, P. C.: *see* Attwood, T. E., 1096
Day, John C. and Robb, Ian D.: Thermodynamic parameters of polyacrylamides in water, 1530
De Chirico, A., Arrighetti, S. and Bruzzone, M.: G.p.c. and viscometric investigation on grafting of styrene-co-acrylonitrile polymer to ethylene–propylene elastomer, 529
Deffieux, Alain; Graf, Ernest and Boileau, Sylvie: Anionic polymerization of ethylene oxide with cryptates as counterions: 2., 549
Deffieux, A., Hsieh, W. C., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 1. Influence of monomer and solvent concentration on the rate of polymerization of ethyl vinyl ether in benzene, 1575
Delides, C., Pethrick, R. A., Cunliffe, A. V. and Klein, P G.: Characterization of polyurethane elastomers by ^{13}C n.m.r. spectroscopy, 1205
Della Casa, Carlo: *see* Andreani, Franco, 270
Della Casa, C.: *see* Costa Bizzarri, P., 1263
Delmas, Geneviève: *see* Charlet, Gérard, 1181
Delmas, Geneviève: *see* Charlet, Gérard, 1190
Denisova, T. T.: *see* Syatkowsky, A. I., 1554
Deshpande, D. D.: *see* Patil, A. O., 434
Deshpande, D. D. and Kandasamy, N. R.: Dielectric relaxation in Antiplasticized poly n-butyl methacrylate, 1211
Destor, C. and Rondelez, F.: Sedimentation in dilute PS–cyclohexane solutions close to the θ-temperature, 67
DeVries, Kenneth Lawrence: *see* Nagamura, Toshihiko, 1267
DeVries, K. K., Smith, R. H. and Fanconi, B. M.: Response to commentary by M. Dole on page 1458, 1460
Diaz, F. R.: *see* Frigerio, P. F., 1571
DiMarzio, Edmund A.: *see* Guttman, Charles M., 597
DiMarzio, Edmund A.: *see* Guttman, Charles M., 1466
Dobb, M. G., Johnson, D. J. and Saville, B. P.: Compressional behaviour of Kevlar fibres, 960
Dodin, Mark G.: Non-equilibrium electrolyte permeability in poly(vinyl alcohol), 788
Doi, M.: *see* Ball, R. C., 1010
Doi, Yoshiharu; Nishimura, Yoshio and Keii, Tominaga: Polypropylenes obtained with $Ti(OC_4H_9)_4/Al_2(C_2H_5)_3Cl_3$ catalyst system, 469
Dole, Malcolm: A commentary on 'Free radicals and new end groups resulting from chain scission: 1. γ-Irradiation of PE', 1458
Dorrestijn, A., Keijzers, A. E. M. and Nijenhuis, K. te: Correlation between viscoelastic behaviour and SAXS of thermoreversible PVC gels, 305
Doubé, C. P.: *see* Walsh, D. J., 168
Drabent, Regina and Olszewska, Teresa: Anisotropy of poly(vinyl alcohol) films in the u.v. and i.r. regions of the spectrum, 1655
Drioli, E.: *see* Apicella, A., 1064
Ducasse, Romain: *see* Charlet, Gérard, 1190
Duckett, R. A.: *see* Hine, P. J., 1745
Duplessix, R., Duval, M., Francois, J. and Sarazin, D.: Spatial crossover for polyacrylamide in aqueous solution, 287
Dušek, K.: *see* Matějka, L., 1511
Duval, M.: *see* Duplessix, R., 287

Eastmond, G. C. and Phillips, D. G.: Polycarbonate/polystyrene ABCP: A toughened plastic and elastomer, 139
Eby, R. K.: *see* Weeks, J. J., 1480
Eby, R. K.: *see* Farmer, B. L. 1487
Eby, R. K.: *see* Weeks, J. J., 1496
Eder, Marek: *see* Wlochowicz, Andrzej, 1285
Edwards, S. F.: *see* Ball, R. C., 1010
Edwards, S. F.: *see* Graessley, W. W., 1329
Ellis, Henry A.: *see* Burrows, Hugh D., 1740
Enyiegbulam, M. and Hourston, D. J.: Concentrated solutions of SBS block copolymers in solvent mixtures, 395
Epton, R., Marr, G. and Shackley, A. T.: New hydrophilic acrylate monomers suitable for the gel bead entrapment of enzymes, 553
Epton, R., Marr, G. and Small, P. W.: Preparation and radiochemical estimation of phenolic PSs suitable for solid (gel) phase peptide synthesis, 842
Etaiw, S. H.: *see* Morsi, S. E., 942

Fanconi, B. M.: *see* DeVries, K. K., 1460
Farmer, B. L. and Eby, R. K.: Energy calculations of the crystal structure of the low temperature phase (II) of PTFE, 1487
Farrar, Nigel R. and Kramer, Edward J.: Microstructure and mechanics of crazes in oriented PS, 691
Fatou, J. G.: *see* Garza, J., 477
Favier, J. C.: *see* Guyot, P., 1724
Felmy, William: *see* Cook, Robert, 1283
Fernández-Piérola, Inés: *see* Horta, Arturo, 783
Ferruti, Paolo: *see* Andreani, Franco, 270
Ferruti, Paolo: *see* Danusso, Ferdinando, 1257
Fetters, L. J.: *see* Luxton, Alan R., 382
Fini, Adamo: *see* Andreani, Franco, 270
Fitzgerald, Pauline A.: *see* Hay, James N., 1003
Fontanille, M.: *see* Guyot, P., 1724
Fortelny, I.: Effect of hydrodynamic interaction on the intrinsic flow birefringence of a rigid rod, 1441
Fortunato, Bruno; Pilati, Francesco and Manaresi, Piero: Solid state polycondensation of poly(butylene terephthalate), 655
Fortunato, B.: *see* Pilati, F., 799
Fortunato, B.: *see* Pilati, F., 1566
Foti, Salvatore: *see* Ballistreri, Alberto, 131
Francois, J.: *see* Duplessix, R., 287
Francois, J.: *see* Schwartz, T., 609
Frank, W. F. X., Schmidt, H., Heise, B., Chantry, G. W., Nicol, Elisabeth A., Willis, H. A. and Cudby, M. E. A.: New far i.r. band for high-pressure crystallized PE, 17
Frank, W. F. X., Strohmeier, W. and Hallensleben, M. L.: Far i.r. absorption spectra of undeuterated and deuterated PET, 615
Franz, Hartmut, Meyer, Helmut and Reichert, Karl-Heinz: Active site concentration in Ziegler–Natta catalysts, 226
Freeman, J. L.: *see* Attwood, T. E., 1096
Frigerio, P. F., Tagle, L. H. and Diaz, F. R.: Halogenated polymers with high thermal stability and flame-resistance, 1571
Froehling, Peter E. and Hillegers, Leo T.: Solvent composition calculation with maximum polymer interaction, 261
Froyer, G., Maurice, F., Mercier, J. P., Riviere, D., Le Cun, M. and Auvray, P.: Morphology of poly*para*phenylene powders and pellets, 992
Fujimoto, Motohiro: *see* Uragami, Tadashi, 240
Fuller, P.: *see* Daly, J.: 32

Gabbott, N. P.: *see* Dawkins, J. V., 291
Galli, Giancarlo; Solaro, Roberto; Chiellini, Emo and Ledwith, Anthony: Copolymers of *N*-vinylcarbazole and optically active fumarates, synthesis, fluorescence emission spectra and chiroptical properties, 1088
Garbarczyk, J. and Paukszta, D.: Influence of additives on the structure and properties of polymers: 2. Polymorphic transitions of isotactic PP caused by aminosulphur compounds, 562
Gargallo, Ligia: *see* Radic, Deodato, 410
Gargallo, Ligia: *see* Radic, Deodato, 1045
Garza, J, Marco, C., Fatou, J. G. and Bello, A.: Crystallization kinetics of poly(1,3-dioxepane), 477
Gaspar Jr., R.: *see* Andrew, E. R., 715
Gasparoux, H.: *see* Noel, C., 578
Gautier, Jean-Claude: *see* Raynal, Serge, 257
Gázquez, J. L.: *see* Chamizo, J. A., 129
Gebbie, H. A.: *see* Willis, H. A., 20
Geil, P. H.: *see* Miyaji, H., 701
Geissler, E.: *see* Hecht, A. M., 877
George, M. H.: *see* Majid, M. A., 1104
Gervais, Monique and Gallot, Bernard: Refolding of crystallized chains in block copolymers, freeze-fracture electron microscopy study, 1129
Ghatge, N. D. and Murthy, R. A. N.: Polyimidothioether polymers, 1250
Ghedini, Nadia: *see* Andreani, Franco, 270
Gibson, Harry, W. and Bailey, F. C.: Chemical modification of polymers: 17. Dyeing of sulphonated PS by ion exchange with cationic dyes, 1068
Gibson, H. W.: *see* Pochan, J. M., 1367
Gilbert, M. and Vyvoda, J. C.: Gelation of rigid PVC compounds, thermal analysis, 1134
Gilding, D. K.: *see* Askill, I. N., 342
Gilding, D. K.: *see* Reed, A. M., 494, 499
Gilding, D. K., Reed, A. M. and Askill, I. N.: Calibration in g.p.c.: Primary, universal and empirical methods, 505
Girolamo, M.: *see* Magill, J. H., 43
Glans, J. H. and Turner, D. T.: Glass transition elevation of PS by crosslinks, 1540
Glotin, M., Rahalkar, R. R., Hendra, P. J., Cudby, M. E. A. and Willis, H. A.: Crystallization kinetics of isotactic PP, 731
Godovsky, Yu. K.: Calorimetric study of rubber elasticity, 75
Gogolewski, S.: Crystallization of copolyamides under elevated pressure, 792
Gohil, R. M. and Petermann, J.: Chain conformational defects in polyvinylidene fluoride, 1612
Gole, J.: *see* Loria, E., 1419
Graessley, W. W. and Edwards, S. F.: Entanglement interactions in polymers and the chain contour concentration, 1329
Graf, Ernest: *see* Deffieux, Alain, 549
Greenberg, A. R.: *see* Kusy, R. P., 268
Grobelny, J., Tekely, P. and Turska, E.: A broadline n.m.r. investigation of polyacrylonitrile phase structure and chain conformation, 1649
Gröbler, A.: *see* Keszler, B., 818
Grossmann, H.-P.: *see* Leute, U., 1335

Guenet, Jean-Michel: Chain trajectory in isotactic polystyrene, neutron scattering investigations on crystallization temperature and thermal effects, 313
Guerdoux, L. and Marchal, E.: Physical ageing of PMMA and polycarbonate in the region of secondary relaxation, 1199
Güner, Ali: *see* Güven, Olgun, 1757
Gupta, A. K., Singhal, R. P. and Agarwal, V. K.: Thermally-induced structural change in polyacrylonitrile, 285
Gupta, Santosh K.: *see* Kumar, Anil, 387
Gupta, Santosh K., Kumar, Anil, Tandon, Pravin and Naik, C. D.: M. wt. distributions for reversible nylon-6 polymerizations in batch reactors, 481
Gupta, Santosh K.: *see* Pal, Pralay K., 1699
Gupta, S. K.: *see* Kumar, A., 1760
Guthrie, J. and Cook, C. C.: Adsorption of a synthetic tanning agent and a sulphonated phenol–formaldehyde novolac by nylon-6, 1439
Guttman, Charles M., DiMarzio, Edmund A. and Hoffman, John D.: Calculation of SANS intensity for PE: Fold plane and fold plane roughening effects, 597
Guttman, Charles M., DiMarzio, Edmund A. and Hoffman, John D.: Modelling the amorphous phase and the fold surface of a semicrystalline polymer – the Gambler's Ruin method, 1466
Güven, Olgun and Güner, Ali: Spectrophotometric determination of gelation dose in the γ-irradiation of polyacrylonitrile, 1757
Guyot, P., Favier, J. C., Uytterhoeven, H., Fontanille, M. and Sigwalt, P.: New perfectly difunctional organolithium initiators for block copolymer synthesis: Synthesis of dilithium initiators in the absence of polar additives, 1724
Guzmán, Julio: *see* Riande, Evaristo, 465

Habibullah, M.: *see* Woan, Der-jin, 699
Hadjichristidis, Nikos: *see* Kokkiaris, Dionysis, 63
Hallensleben, M. L.: *see* Frank, W. F. X., 615
Halpern, G. M.: *see* Peiffer, D. G., 450
Han, Charles C. and Akcasu, A. Ziya: Dynamic structure factor, $S(q, \omega)$, of polymers in dilute solution, 1019
Han, Charles C. and Akcasu, A. Ziya: Concentration dependence of diffusion coefficient at various molecular weights and temperatures, 1165
Han, Xiao-zu: *see* Bamford, C. H., 1299
Handa, S. P.: *see* Chandra, R., 523
Haq, Z.: *see* Cowie, J. M. G., 327
Hardouin, F.: *see* Noel, C., 578
Harrison, Gilroy: *see* Adachi, Keiichiro, 1026, 1032
Harrison, I. R.: *see* Weaver, T. J., 1590
Hartley, D. B.: *see* Cunliffe, A. V., 101
Hartley, D. B., Hayes, M. S. and Richards, D. H.: Reactions of living polyTHF with amines: 3. Secondary amines, 1081
Hartman, Bruce: Ultrasonic properties of some diamine cured aliphatic epoxy polymers, 736
Harun, M. Ghazali and Williams, Andrew: Microgels as matrices for molecular receptor and catalytic sites, stereoselectivity of copolymers of (−)-menthyl acrylate and *N*-methacryloylhydroxylamine *versus* chiral esters, 946
Hasegawa, M.: *see* Niume, K., 649
Hatakeyama, H.: *see* Nakamura, K., 473
Haward, Robert N.: *see* Licchelli, John A., 667
Haward, Robert N.: *see* Licchelli, John A., 1558
Hay, James N.: Chain folding in melt crystallized PE., 718
Hay, James N. and Fitzgerald, Pauline A.: Chain folding in melt crystallized PE: 2. Low M. wt. polymers, 1003
Hayashi, Shigeo: *see* Ohtsuka, Yasuji, 658
Hayes, M. S.: *see* Hartley, D. B., 1081
Hayter, J. B.: *see* Higgins, J. S., 163
Heatley, Frank and Cox, Michael K.: ^{1}H nuclear magnetic relaxation in isotactic PMMA in dilute solution, 190
Heatley, Frank and Cox, Michael K.: Proton spin–lattice and spin–spin relaxation in vinyl polymers in dilute solution: poly (methyl acrylate), 288
Heatley, F.: *see* Clark, D. T., 1112
Hecht, A. M., Geissler, E. and Chosson, A.: Dynamic light scattering by gels under hydrostatic pressure, 877
Hedvat, Schowl: Molecular interpretation of rubbery-viscous 'transition' temperature of amorphous polymers, 774
Heikens, D.: *see* Sjoerdsma, S. D., 619
Heikens, Derk: Flory–Schulz distribution does hold for reversible polycondensation, 1758
Heiss, B.: *see* Frank, W. F. X., 17
Hendra, P. J.: *see* Cutler, D. J., 726
Hendra, P. J.: *see* Glotin, M., 731
Hendricker, David G.: *see* Valera, Nestor S., 1007
Hendricks, R. W.: *see* Wignall, G. D., 886
Hentschel, R., Sillescu, H. and Spiess, H. W.: Orientational distributions of polymer chains studied by ^{2}H n.m.r. line shapes, 1516
Hernández-Fuentes, I.: *see* Horta, A., 1147
Herz, Jean: *see* Chaumont, Phillipe, 663
Herz, J.: *see* Candau, S., 1504
Hertzberg, R. W.: *see* Bretz, P. E., 575
Hertzberg, R. W.: *see* Bretz, P. E., 1272
Hidalgo, J.: *see* Munoz-Escalona, A., 1118
Higashimura, Toshinobu: *see* Imanishi, Yukio, 1407
Higgins, J. S., Nicholson, L. K. and Hayter, J. B.: Single chain motion in a polymer melt, 163
Higgins, J. S.: *see* Walsh, D. J., 168
Hillegers, Leo T.: *see* Froehling, Peter E., 261
Hin, Teoh Swee: *see* Cherry, B. W., 1610
Hine, P. J., Duckett, R. A. and Ward, I. M.: A study of the fracture behaviour of polyethersulphone, 1745
Hirayama, Chuichi; Iida, Mitsuaki and Motozato, Yoshiaki: Excluded chain dimensions and network size in g.p.c., 1561
Hirohashi, R.: *see* Niume, K., 649
Hodge, P. and Waterhouse, J.: Chemical modification of chloromethylated crosslinked polystyrene *via* phase transfer catalysed Wittig reactions, 1153
Hoffman, John D.: *see* Guttman, Charles M., 597
Hoffman, John D.: *see* Guttman, Charles M., 1466
Hoitink, T. B.: *see* Blackwell, J., 1534
Holoubek, J.: Spectral properties of speckle created by SALS, 260
Hopfenberg, H. B.: *see* Allen, S. M., 912
Hourston, D. J. and Hughes, I. D.: Dynamic mechanical behaviour of polyether ester–nitrile rubber blends, 127
Hourston, D. J.: *see* Enyiegbulam, M., 395
Hourston, D. J. and McCluskey, J. A.: Acronalpolymethyl acrylate interpenetrating polymer networks, 405
Hori, Y.: *see* Shimada, S., 1377
Horta, Arturo and Fernández-Piérola, Ines: Depression of the critical temperature in PMMA-cosolvent systems, 783
Horta, A., Prolongo, M. G., Masegosa, R. M. and Hernández-Fuentes, I.: Coil expansion, association and phase separation of PMMA in the poor solvents acetonitrile and chlorobutane, 1147
Horváth, E.: *see* Zrinyi, M., 429
Hoy, L. R. J.: *see* Attwood, T. E., 1096
Hsieh, W. C.: *see* Deffieux, A., 1575
Hsu, S. L.: *see* Burchell, D. J., 907
Hughes, I. D.: *see* Hourston, D. J., 127
Huguet, Yovanka: *see* Vert, Michel, 1683
Hunt, David G.: Procedure for rapid conditioning of hygroscopic test pieces by humidity cycling, 1136
Hwang, James S. and Tsonis, Christos P.: E.p.r. studies of the thermal polymerization of phenylacetylene, 1462

Iida, Mitsuaki: *see* Hirayama, Chuichi, 1561
Ikeda, Koji: *see* Nagase, Yu, 1607
Ikemura, Tadashi: *see* Sawaguchi, Takashi, 1403
Ilavský, M.: *see* Matějka, L., 1511
Ilavský, Michal: Effect of electrostatic interactions on phase transition in the swollen polymeric network, 1687
Imamura, Akira: *see* Ohsaku, Masura, 624
Imamura, Akira: *see* Ohsaku, Masaru, 1346
Imanishi, Yukio; Kimura, Taeko and Higashimura, Toshinobu: Synthesis and structure of vinyl polymer–poly(α-amino acid) graft copolymers, 1407
Imanishi, Y. and Kiniwa, H.: Synthesis of polymers of c-(N-AcrLys-Gly) and interactions with metal ions in solution, 1548
Iwakura, Y.: *see* Niume, K., 649
Izuoka, Takeshi: *see* Ohsaku, Masaru, 624

Jagur-Grodzinski, Joseph: *see* Bikson, Benjamin, 640
Jalsenjak, I. and Stivic, I.: Particle interaction in a concentrated polymer dispersion, a rheological study, 847
Janke, E. W.: *see* Ballard, D. G. H., 1353
Jasse, Bruno and Koenig, Jack L.: *FT* i.r. study of uniaxially-orientated isotactic PS, 1040
Jasse, B.: *see* Lefebvre, D., 1616
Jog, J. P., Walzade, S. J. and Bhoraskar, S. V.: Electron induced (surface) conductivity of FEP, 865
Johnsen, R. M.: *see* Brown, W., 185
Johnson, D. J.: *see* Dobb, M. G., 960
Joseph, K. Thomas: *see* Sudhakar, D., 491
Joyce, Desmond E. and Kurucsev, Tomas: H^+ equilibria in poly(methacrylic acid) and poly(ethacrylic acid) solutions, 415
Jungnickel, B.-J.: Kerr effect relaxation measurements on glassy amorphous PMMA, 720
Juskeviciute, S. S.: *see* Bagdonaite, V. A., 145

Kajiwara, Kanji and Burchard, Walther: Hydrodynamic radius and dynamic scattering from randomly crosslinked chains, 1621
Kalpagam, V.: *see* Kashyap, A. K., 924
Kandasamy, N. R.: *see* Deshpande, D. D., 1211
Kapko, J. and Polaczek, J.: Synthesis and properties of polyamide polyelectrolytes with phenolic side groups, 1544

Kaplan, Samuel and O'Malley, James J.: PS/PEO diblock copolymer: Interaction at phase boundary, 221
Kashiwabara, Hisatsugu: *see* Vivatpanachart, Somsak, 132
Kashiwabara, Hisatsugu: *see* Vivatpanachart, Somsak, 263
Kashiwabara, Hisatsugu: *see* Vivatpanachart, Somsak, 896
Kashiwabara, H.: *see* Shimada, S., 1377
Kashiwabara, Hisatsugu: *see* Shimada, Shigetaka, 1385
Kashyap, A. K. and Kalpagam, V.: Methyl methacrylate–acrylonitrile copolymers, viscosity data and theories, 924
Kaura, Tara and Nath, Rabinder: Drift mobility determination using surface–charge decay technique in PVF_2, 1642
Kawaguchi, Akiyoshi: Application of the optical transform to the electron diffraction pattern of PE single crystal, 753
Kawaguchi, Haruma: *see* Ohtsuka, Yasuji, 658
Kawakami, Yuhsuke; Sato, Wataru; Miki, Yoshiaki and Yamashita, Yuya: Supported solid acids as polymerization catalysts, 859
Keekstra, D.: *see* Bosscher, F., 124
Keii, Tominaga: *see* Doi, Yoshiharu, 469
Keijzers, A. E. M.: *see* Dorrestijn, A., 305
Keller, A.: *see* Magill, J. H., 43
Knight, R. J.: *see* Willis, H. A., 20
Keller, A.: *see* Atkins, E. D. T., 1161
Keszler, B., Gröbler, A., Takács, E. and Simon, A.: Coordination catalysts for polymerization of α-olefins: 2. Thermal study of $MgCl_2$–ethyl benzoate support system, 818
Khalifa, W. M.: *see* Morsi, S. E., 942
Khan, H. U. and Wadehra, B. M. L.: Free radical bulk copolymerization of styrene–methyl methacrylate, kinetic study, 488
Khanna, D. N.: *see* Bajaj, P., 1522
Khatchaturov, A. S.: *see* Syatkowsky, A. I., 1554
Khokhlov, A. R.: New calculation of anomalous θ swelling of macromolecules, 447
King, T.: *see* Barnett, K. G., 283
Kingston, S. B.: *see* Cunliffe, A. V., 101
Kiniwa, H.: *see* Imanishi, Y., 1548
Kilian, Hanns-Georg: Equation of state of real networks, 209
Kimura, Taeko: *see* Imanishi, Yukio, 1407
Klein, P. G.: *see* Delides, C., 1205
Kobayashi, Masamichi: *see* Tashiro, Kohji, 1312
Koehler, W. C.: *see* Wignall, G. D., 886
Koenig, Jack L.: *see* Jasse, Bruno, 1040
Koetsier, D. W., Challa, G. and Tan, Y. Y.: Formation of polyvinylpyrrolidone–syndiotactic poly(methacrylic acid) complexes in dimethylformamide, 1709
Kokkiaris, Dionysis, Touloupis, Costas and Hadjichristidis, Nikos: Solution properties and chain flexibility of polythiolmethacrylates: 1, 63
Konar, Ranajit S.: *see* Banerjee, Monoranjan, 1729
Kowalski, P.: *see* Wandelt, B., 1236
Kramer, Edward J.: *see* Brown, Hugh R., 687
Kramer, Edward J.: *see* Farrar, Nigel R., 691
Kratochvil, Pavel: *see* Stejskal, Jaroslav, 1301
Kryszewski, M.: *see* Wandelt, B., 1236
Kudrna, Miloslav: Moseley equation applicability in crystalline polymers by sonic method, 258
Kulichikhin, S. G.: *see* Malkin, A. Ya., 1373
Kulkarni, M. G. and Mashelkar, R. A.: Thermal conductivity of polymers: a new correlation, 867
Kulkarni, M. G. and Mashelkar, R. A.: Diffusion in network polymers: model development and evaluation, 1658
Kulkarni, M. G. and Mashelkar, R. A.: Role of penetrant structure in diffusion in structured polymers, 1665
Kumar, Anil; Kuruville, Sebastian; Raman, A. R. and Gupta, Santosh K.: Reversible nylon-6,6 polymerization simulation, 387
Kumar, Anil: *see* Gupta, Santosh K., 481
Kumar, Anil: *see* Pal, Pralay K., 1699
Kumar, A. and Gupta, S. K.: Response to comments by Professor Heikens on page 1758, 1760
Kunert, K. A., Soszynska, H. and Pislewski, N.: Structural investigation of chemically crosslinked LDPE, 1355
Kunert, K. A., Ranachowski, J., Chodak, I., Soszyńska, H. and Piślewski, N.: Physico–mechanical investigation of crosslinked PP, 1677
Kuroki, Takeshi: *see* Sawaguchi, Takashi, 1403
Kurucsev, Tomas: *see* Joyce, Desmond E., 415
Kuruville, Sebastian: *see* Kumar, Anil, 387
Kusy, R. P., Simmons, W. F. and Greenberg, A. R.: T_g of PMMA blends, 268
Kyriacos, D.: *see* Birley, A. W., 812
Lacok, J.: *see* Chrástová, V., 1054

Lagasse, R. R.: *see* Sayre, J. A., 87
Lainghe, Shi: *see* Walsh, D. J., 1005
Lamb, John: *see* Adachi, Keiichiro, 1026, 1032
Laupretre, F.: *see* Sergot, P., 1150
Law, Kia-Sang: *see* Cameron, G. Gordon, 272
Law, Kia-Sang: *see* Cameron, G. Gordon, 558
Lecolier, S.: *see* Ndebeka, G., 347
Lecolier, S.: *see* Raynal, S., 356
Lecolier, S.: *see* Raynal, S., 1425
Le Cun, M.: *see* Froyer, G., 992
Ledwith, A., Al-Kass, S., Sherrington, D. C. and Bonner, P.: Photoinitiated cationic polymerization: Iodinium and sulphonium salts in, 143
Ledwith, A., Rowley, N. J. and Walker, S. M.: Fluorescence emission from poly[2-(9-ethyl)carbazolyl-methlmethacrylate], 435
Ledwith, Anthony: *see* Galli, Giancarlo, 1088
Lee, C. C.: *see* Parker, J. M., 1305
Lee, C. S.: *see* Bigg, D. M., 539
Lefebvre, D., Jasse, B. and Monnerie, L.: *FT* i.r. study of uniaxially oriented poly(2,6-dimethyl,4-phenylene oxide)–atactic PS blends, 1616
Leibler, Ludwig and Benoit, Henri: Correlations in partly labelled homopolymer melts, theory, 195
Leininger, R. I.: *see* Bigg, D. M., 539
Lemstra, P. J.: *see* Atkins, E. D. T., 1161
Lenk, R. S. and Merrall, R. E.: Starch/poly(vinyl alcohol) heatsealable film: 2, 1279
Leute, U. and Grossmann, H.-P.: Pressure dependence and the Grüneisen parameters of B_{1u}-lattice vibration in HDPE, 1335
Lewis, T. J.: *see* Clark, D. T., 1303
Licchelli, John A., Haward, Robert N., Parsons, Ian W. and Caunt, Anthony D.: Polymerization catalysts for propene from the reduction of $TiCl_4$ with halogen-free Mg alkyls, 667
Licchelli, John A., Haward, Robert N., Parsons, Ian W. and Caunt, Anthony D.: $TiCl_2$-alkyl-magnesium polymerization catalysts: effects of transformation to violet allotropes, 1558
Lin, J. S.: *see* Wignall, G. D., 886
Llewellyn-Jones, D. T.: *see* Willis, H. A., 20
Loria, E., Merle, G., Pascault, J. P. and Rashkov, I. B.: Anionic polymerization by lamellar compounds of LiC_{12}: 1., 95
Loria, E., Gole, J., Pascault, J. P., Pham, Q. T. and Rashkov, I. B.: Anionic polymerization initiated by lamellar compounds of LiC_{12}: 2. Thermodynamics and the propagation mechanisms in 1,4 *cis* and 1,4 *trans* isoprene, -H-n.m.r. study, 1419
Lovell, Richard and Windle, Alan H.: Local conformation of PMMA from WAXS, 175
Lovinger, Andrew J.: Poly(vinylidene fluoride) β-phase crystallization from the melt, 412
Luk, W. K.: *see* Choy, C. L., 543
Luxton, Alan R., Burrage, M. E., Quack, G. and Fetters, L. J.: Polybutadiene containing vinyl cyclopentane units, 382

MacKenzie, W. M. and Sherrington, D. C.: Polymer-supported phase transfer catalysts, substrate selectivity effects, 431
Mackley, M. R., Pinaud, F. and Siekmann, G.: Disclinations and optical anisotropy in a mesomorphic copolyester, 437
Maconnachie, Ann: *see* Richards, Randal W., 147
Maconnachie, Ann: *see* Richards, Randal W., 153
Maconnachie, Ann: *see* Richards, Randal W., 158
Maconnachie, Ann; Allen, Geoffrey and Richards, Randal W.: SANS from a polymer coil undergoing stress relaxation, 1157
Madruga, E. L., San Román, J. and del Puerto, M. A.: Radical copolymerization of methyl methacrylate and styrene, effect of solvent on termination step, 951
Magill, J. H., Girolamo, M. and Keller, A.: Crystallization and morphology of nylon-6,6 crystals: 1., 43
Mahadevan, V.: *see* Srinivasan, P. R., 1290
Majid, M. A., George, M. H. and Barrie, J. A.: Living anionic synthesis and characterization of poly(epichlorohydrin-g-styrene) copolymers, 1104
Malkin, A. Ya., Kulichikhin, S. G. and Chalykh, A. E.: Effect of deformation on the phase separation in the polycapramide–caprolactam system, 1373
Manaresi, Piero: *see* Fortunato, Bruno, 655
Manaresi, P.: *see* Pilati, F., 799
Manaresi, P.: *see* Pilati, F., 1566
Manson, J. A.: *see* Bretz, P. E., 575
Manson, J. A.: *see* Bretz, P. E., 1272
Maravigna, Pietro: *see* Ballistreri, Alberto, 131
Marchal, E.: *see* Guerdoux, L., 1199
Marco, C.: *see* Garza, J., 477
Marechal, E.: *see* Bunel, C., 844
Marek, M.: *see* Toman, L., 1243
Market, Cynthia: *see* Cook, Robert, 1283
Marr, G.: *see* Epton, R., 553
Marr, G.: *see* Epton, R., 842
Martinez, C.: *see* Munoz-Escalona, A., 1118
Masegosa, R. M.: *see* Horta, A., 1147
Mashelkar, R. A.: *see* Kulkarni, M. G., 867
Mashelkar, R. A.: *see* Kulkarni, M. G., 1658
Mashelkar, R. A.: *see* Kulkarni, M. G., 1665
Masubuchi, Tetsuo: *see* Nagase, Yu, 1607
Matějka, L., Ilavsky, M., Dušek, K. and Wichterle, O.: Photomechanical effects in crosslinked photochromic polymers, 1511
Mathur, G. N.: *see* Srivastava, A. K., 391
Maurice, F.: *see* Froyer, G., 992
McCluskey, J. A.: *see* Hourston, D. J., 405

McEwen, I. J.: *see* Cowie, J. M. G., 327
McKeown, J. G.: *see* Walsh, D. J., 168
Menczel, Jozsef and Wunderlich, Bernhard: Phase transitions of poly(*p*-acryloyloxybenzoic acid), 778
Mendoza-Diaz, G.: *see* Chamizo, J. A., 129
Menefee, Emory: Crosslink density determination by end group analysis after partial degradation: 1. Theory, 1214
Menefee, Emory and Tillin, Sandra J.: Crosslink density determination by end group analysis after partial degradation: 2. Experimental application to keratin, 1219
Meng, Q. A.: *see* Andrew, E. R., 715
Mercier, J. P.: *see* Froyer, G., 992
Merle, G.: *see* Loria, E., 95
Merrall, R. E.: *see* Lenk, R. S., 1279
Messiha, N. N.: Organotin polymers: V. Copolymerization reactions of tributyltin acrylate and methacrylate with vinyl acetate and *N*-vinylpyrrolidone, 807
Meyer, G. C. and Widmaier, J. M.: Tensile strength of joints bonded with ABA poly(styrene-b-isoprene) films, 995
Meyer, Helmut: *see* Franz, Hartmut, 226
Meyerhoff, Günther: *see* Stickler, Manfred, 928
Mhaskar, R. D.: *see* Boorga Rao, B., 1593
Mijović, Jovan and Tsay, Leelan: Dynamic mechanical properties and nodular morphology correlations of cured epoxy resins, 902
Miki, Yoshiaki: *see* Kawakami, Yuhsuke, 859
Mikulášová, D.: *see* Chrástová, V., 1054
Minikata, Akira: *see* Shimizu, Toshio, 1500
Mishra, Girish Chandra: *see* Biswas, Mukul, 1319
Miura, Masatoshi: *see* Naruchi, Kiyoshi, 1716
Miyahara, Yutaka: *see* Vivatpanachart, Somsak, 132
Miyahara, Yutaka: *see* Vivatpanachart, Somsak, 263
Miyahara, Yutaka: *see* Vivatpanachart, Somsak, 896
Miyaji, H. and Geil, P. H.: Annealing of nodular linear PE crystallized from the glass, 701
Molnár, T.: *see* Zrinyi, M., 429
Monaco, A.: *see* Costa Bizzarri, P., 1263
Monnerie, Lucien: *see* Bokobza, Liliane, 235
Monnerie, L.: *see* Noel, C., 578
Monnerie, L.: *see* Bokobza, L., 1309
Monnerie, L.: *see* Lefebvre, D., 1616
Montaudo, Giorgio: *see* Ballistreri, Alberto, 131
Morsi, S. E., Zaki, A. B., Etaiw, S. H., Khalifa, W. M. and Al-Sayed Salem, M.: Photo-oxidation of unsaturated polymers, effect of singlet oxygen sensitizers and quenchers, 942
Moscicki, J. K., Williams, G. and Aharoni, S. M.: Rigid backbone polymers: 22. Dielectric relaxation in lyotropic and concentrated isotropic solutions of poly(n-hexylisocyanate) in toluene, 571
Moscicki, J. K., Williams, G. and Aharoni, S. M.: Rigid backbone polymers. Dielectric relaxation of isotropic and lyotropic solutions of a copolymer of n-butyl isocyanate and n-nonyl isocyanate, 1361
Moscicki, Josef K. and Williams, Graham: Model calculations of the phase-behaviour of rod-like particles in solution, application to the isotropic and anisotropic phases of poly(n-alkylisocyanates) in solution, 1451
Moseley, M. E.: *see* Nyström, B., 218
Moseley, Michael E.: *see* Stilbs, Peter, 321
Motozato, Yoshiaki: *see* Hirayama, Chuichi, 1561
Munari, A.: *see* Pilati, F., 799
Munari, A.: *see* Pilati, F., 1566
Munoz-Escalona, A., Martinez, C. and Hidalgo, J.: Kinetics of ethylene polymerization over supported $TiCl_4/SiO_2$ Ziegler catalyst modified with binary metal chlorides, 1118
Murakami, Ichiro: *see* Ochiai, Hiroshi, 1456
Murata, Hiromu: *see* Ohsaku, Masaru, 624
Murata, Hiromu: *see* Ohsaku, Masaru, 1346
Murthy, R. A. N.: *see* Ghatge, N. D., 1250

Nagabhushanam, T.: *see* Reddy, G. Gangi, 1692
Nagamura, Toshihiko and DeVries, Kenneth Lawrence: E.s.r. studies on free radicals generated in poly[*p*-(2-hydroxyethoxy) benzoic acid] fibres at low temperatures, 1267
Nagarajan, M. R.: *see* Blackwell, J., 202
Nagarajan, M. R.: *see* Blackwell, J., 1534
Nagase, Yu; Masubuchi, Tetsuo; Ikeda, Koji and Sekine, Yoshiro: Synthesis and characterization of tetramethyl-*p*-silphenylene siloxane/dimethylsiloxane multiblock copolymer, 1607
Naik, C. D.: *see* Gupta, Santosh K., 481
Nakafuku, Chitoshi: High pressure d.t.a. study on the melting and crystallization of isotactic PP, 1673
Nakafutami, Yasunobu: *see* Tanaka, Yasuyuki, 1721
Nakamura, K., Hatakeyama, T. and Hatakeyama, H.: D.s.c. studies on the T_g of polyhydroxystyrene derivatives containing sorbed H_2O, 473
Naruchi, Kiyoshi and Miura, Masatoshi: Thermally initiated oligomerization of metallic salts of methacrylic acid in solid state, 1716
Nath, Rabinder: *see* Kaura, Tara, 1642
Ndebeka, G., Caubere, P., Raynal, S. and Lecolier, S.: New complex bases: 10. Anionic polymerization of vinyl monomers, 347
Ndebeka, G.: *see* Raynal, S., 356
Ndebeka, G.: *see* Raynal, S., 1425
Nevin, A.: *see* Ballard, D. G. H., 1353
Ng, Shiu-Lan: *see* Chiang, Teh-Chang, 3
Nicholson, L. K.: *see* Higgins, J. S., 163
Nicol, Elisabeth A.: *see* Frank, W. F. X., 17
Nicolais, L.: *see* Apicella, A., 1064
Niikuni, Sadayuki: *see* Sawaguchi, Takashi, 1403
Nijenhuis, K.te: *see* Dorrestijn, A., 305
Nishimura, Yoshio: *see* Doi, Yoshiharu, 469
Niume, K., Hirohashi, R., Toda, F., Hasegawa, M. and Iwakura, Y.: Thermal and electrical properties of polyimides containing tricyclic fused rings, 649
Noel, C., Monnerie, L., Achard, M. F., Hardouin, F., Sigaud, G. and Gasparoux, H.: Magnetic susceptibility of orientation of nematic liquid crystalline polymer in a magnetic field, 578
Nomura, Hiroyasu: *see* Vivatpanachart, Somsak, 132
Nomura, Hiroyasu: *see* Vivatpanachart, Somsak, 263
Nomura, Hiroyasu: *see* Vivatpanachart, Somsak, 896
North, Alastair M.: *see* Adachi, Keiichiro, 1026, 1032
Nyström, B., Moseley, M. E., Stilbs, P. and Roots, J.: Solvent self-diffusion in semidilute PS solutions, 218
Nyström, Bo: *see* Roots, Jaan, 573

Ochiai, Hiroshi; Shimizu, Sanae; Tadokoro, Huji and Murakami, Ichiro: Complex formation between poly(vinyl alcohol) and borate ion, 1456
O'Donnell, James H.: *see* Bowmar, Trevor N., 71
O'Driscoll, K. F.: *see* Rudin, A., 740
Ogawa, Etsuyo: *see* Yamaguchi, Noriko, 1464
Ohsaku, Masaru; Izuoka, Takeshi; Murata, Hiromu and Imamura, Akira: Conformational stability of poly(trimethylene oxide) by CNDO/2 calculations, 624
Ohsaku, Masaru; Murata, Hiromu; Imamura, Akira and Tachibana, Akitomo: Molecular and electronic structures of poly(thiomethylene oxide), 1346
Ohsumi, Yoshiaki: *see* Uragami, Tadashi, 1155
Ohtsuka, Yasuji; Kawaguchi, Haruma and Hayashi, Shigeo: Cationic copolymer latex: 2. Copolymerization of styrene with 4-vinylpyridine in an emulsifier-free medium, 658
Okieimen, Ebhodaghe F.: Non-ideal kinetics in benzoyl peroxide initiated polymerization of vinyl acetate in benzene, 1737
Olszewska, Teresa: *see* Drabent, Regina, 1655
O'Malley, James J.: *see* Kaplan, Samuel, 221
Osowiecka, Blandyna: *see* Bukowski, Andrzej, 1415
Osredkar, U.: *see* Sebenik, A., 804

Painter, P. C.: *see* Coleman, M. M., 762
Painter, Paul C.: *see* Snyder, Randy W., 1629
Painter, Paul C.: *see* Snyder, Randy W., 1633
Pajot, E.: *see* Bokobza, L., 1309
Pal, Pralay K., Kumar, Anil and Gupta, Santosh K.: Modelling of resole type phenol formaldehyde polymerization, 1699
Parker, J. M., Wright, P. V. and Lee, C. C.: A double helical model for some alkali metal ion-poly(ethylene oxide) complexes, 1305
Parsons, Ian W.: *see* Boucher, David G., 255
Parsons, Ian W.: *see* Licchelli, John A., 667
Parsons, Ian W.: *see* Licchelli, John A., 1558
Pascault, J. P.: *see* Loria, E., 95
Pascault, J. P.: *see* Loria, E., 1419
Passalacqua, V.: *see* Pilati, F., 799
Passalacqua, V.: *see* Pilati, F., 1566
Passerone, Alberto: *see* Chiappori, Carmen, 534
Pastine, D. John and Warfield, R. W.: Simple model for thermal pressure in molten polyethylene, 1754
Patil, A. O., Deshpande, D. D. and Talwar, S. S.: Backbone triple bonds in photocrosslinkable polymers, 434
Paukszta, D.: *see* Garbarczyk, J., 562
Paul, D. R.: *see* Ziska, J. J., 918
Paul, Tarun K.: *see* Banerjee, Monoranjan, 1729
Peiffer, D. G., Corley, T. J., Halpern, G. M. and Brinker, B. A.: Polymeric materials in laser fusion target fabrication, 450
Peters, A.: *see* Candau, S., 1504
Petermann, J.: *see* Gohil, R. M., 1612
Pethrick, R. A.: *see* Daly, J., 32
Pethrick, Richard A.: *see* Daly, John, 37
Pethrick, Richard A.: *see* Adachi, Keiichiro, 1026, 1032
Pethrick, Richard A.: *see* Crofton, Derek J., 1048
Pethrick, R. A.: *see* Delides, C., 1205
Pham, Q. T.: *see* Loria, E., 1419
Philips, D. G.: *see* Eastmond, G. C., 139

Phillips, D., Roberts, A. J. and Soutar, I.: Photophysical processes in aromatic polymers: 2. Excimer formation in copolymers of 1-vinyl naphthalene and methyl acrylate, 293
Phillips, D., Roberts, A. J. and Soutar, I.: Photophysical processes in aromatic polymers: 4. Excimer formation in 1-vinylnaphthalene, 2-vinylnaphthalene and 1-naphthyl methacrylate, 427
Piccarolo, S. and Acierno, D.: Production of PE films through flow-induced crystallization, 850
Pilati, Francesco: *see* Fortunato, Bruno, 655
Pilati, F., Manaresi, P., Fortunato, B., Munari, A. and Passalacqua, V.: Formation of poly(butylene terephthalate) studied by model molecules, 799
Pilati, F., Manaresi, P., Fortunato, B., Munari, A. and Passalacqua, V.: Formation of poly(butylene terephthalate): Secondary reactions studied by model molecules, 1566
Pinaud, F.: *see* Mackley, M. R., 437
Pißlewski, N.: *see* Kunert, K. A., 1355
Pißlewski, N.: *see* Kunert, K. A., 1677
Plucinski, J.: *see* Sebastian, M., 956
Pochan, D. F.: *see* Pochan, J. M., 1367
Pochan, J. M., Pochan, D. F. and Gibson, H. W.: Kinetics of oxygen doping and oxidation of poly(1,6-heptadiyne), a conducting polymer, 1367
Polaczek, J.: *see* Kapko, J., 1544
Porter, Roger S.: *see* Shimada, Toshio, 1124
del Puerto, M. A.: *see* Madruga, E. L., 951
Prentice, P.: Surface irregularities of calendered polypropylene, 250
Prolongo, M. G.: *see* Horta, A., 1147
Pron, A.: *see* Rachdi, F., 1605
Prud homme, Robert E.: *see* Aubin, Madeleine, 1223
Przyluski, J.: *see* Rachdi, F., 1605

Quack, G.: *see* Luxton, Alan R., 382

Rabolt, John F.: Crystal–crystal phase transition in ethylene and chlorotrifluoroethylene copolymer, molecular dynamics by Raman active longitudinal acoustical mode, 890
Rachdi, F., Bernier, P., Billaud, D., Pron, A. and Przyluski, J.: Synthesis and e.p.r. studies of polyacetylene hydrogen sulphate $[CH(HSO_4)_y]_x$, 1605
Radic, Deodato and Gargallo, Ligia: Intrinsic viscosity–temperature relationships, 410
Radic, Deodato and Gargallo, Ligia: Viscometric and preferential adsorption behaviour of poly(4-tert-butylphenyl methacrylate) in tetrahydrofuran/chloroform, 1045
Rahalkar, R. R.: *see* Cutler, D. J., 726
Rahalkar, R. R.: *see* Glotin, M., 731
Rahaman, M. N. and Scanlan, J.: Non-linear viscoelastic properties of solid polymers, 673
Raman, A. R.: *see* Kumar, Anil, 387
Ranachowski, J.: *see* Kunert, K. A., 1677
Ranade, J. D.: *see* Shrivastava, S. K., 1645
Rao, K. Venkata: *see* Reddy, G. Gangi, 1692
Rashkov, I. B.: *see* Loria, E., 95
Rashkov, I. B.: *see* Loria, E., 1419
Raynal, Serge; Gautier, Jean-Claude; Sledz, Joseph; Schue, Francois and Suparno, Satira: ^{13}C n.m.r. spectroscopy of polyvinylferrocene, 257
Raynal, S.: *see* Ndebeka, G., 347
Raynal, S., Lecolier, S., Ndebeka, G. and Caubere, P.: Solid complex bases: 11. Bulk anionic polymerization of vinyl monomers, 356
Raynal, S., Lecolier, S., Ndebeka, G. and Caubére, P.: Complex bases: 12. Application to the anionic polymerization of diene monomers, 1425
Read, B. E.: Influence of stress state and temperature on secondary relaxations in polymeric glasses, 1580
Reed, A. M. and Gilding, D. K.: Biodegradable polymers for use in surgery: Poly (glycolic)/poly(lactic acid) homo and copolymers: 2. *In vitro* degradation, 494: (PEO)/(PET) copolymers: 2. *In vitro* degradation, 499
Reed, A. M.: *see* Gilding, D. K., 505
Reddish, W.: *see* Willis, H. A., 20
Reddy, G. Gangi; Nagabhushanam, T., Rao, K. Venkata and Santappa, M.: Polymerization of methyl methacrylate in the presence of molecular oxygen – a kinetic study, 1692
Reichert, Karl-Heinz: *see* Franz, Hartmut, 226
Rempp, Paul: *see* Chaumont, Phillipe, 663
Riande, Evaristo; Guzmán, Julio and Saiz, Enrique: Random-coil configurations of alicyclic polyformals, 465
Richards, D. H.: *see* Cunliffe, A. V., 101
Richards, D. H.: *see* Cunliffe, A. V., 108
Richards, D. H.: *see* Abadie, M. J. M., 1076
Richards, D. H.: *see* Hartley, D. B., 1081
Richards, D. H.: *see* Cohen, P., 1316
Richards, Randal W., Maconnachie, Ann and Allen, Geoffrey: SANS from polymer solutions: 2. Semi-concentrated region near the *UCST*, 147
Richards, Randal W., Maconnachie, Ann and Allen, Geoffrey: SANS from polymer solutions: 3. Semi-dilute solutions near the *LCST*, 153
Richards, Randal W., Maconnachie, Ann and Allen, Geoffrey: SANS from polymer solutions: 4. Semi-concentrated region near the *LCST*, 158
Richards, Randal W. and Thomason, James L.: SANS study of block copolymers of styrene and isoprene in the solid state, 581
Richards, Randal W.: *see* Maconnachie, Ann, 1157
Riviere, D.: *see* Froyer, G., 992
Robb, Ian D.: *see* Day, John C., 1530
Roberts, A. J.: *see* Phillips, D., 293
Roberts, A. J.: *see* Phillips, D., 427
Robertson, F.: *see* Cunliffe, A. V., 108
Roche, Eric J. and Thomas, Edwin L.: Defocus electron microscopy of multiphase polymers, 333
Rogal, Eugeniusz: *see* Wejchan-Judek, Maria, 845
Rondelez, F.: *see* Destor, C., 67
Roots, J.: *see* Nyström, B., 218
Roots, Jaan and Nyström, Bo: Sedimentation behaviour in semidilute solutions of polyelectrolyte, 573
Roovers, J.: Steady-state shear compliance of regular star polymers, 1603
Rose, J. B.: *see* Attwood, T. E., 1096
Roussis, P. P.: Diffusion of H_2O vapour in cellulose acetate: 1. Differential transient sorption kinetics and equilibria, 768
Roussis, P. P.: Diffusion of H_2O vapour in cellulose acetate: 2. Permeation and integral sorption kinetics, 1058
Rowley, N. J.: *see* Ledwith, A., 435
Rubio, Serge: *see* Serre, Brigitte, 513, 519
Rudin, A., O'Driscoll, K. F. and Rumack, M. S.: Use of n.m.r. data to calculate copolymer reactivity ratios, 740
Rumack, M. S.: *see* Rudin, A., 740
Russo, Saverio: *see* Chiappori, Carmen, 534

Sabbadin, J.: *see* Schwartz, T., 609
Saiz, Enrique: *see* Riande, Evaristo, 465
Sakaguchi, Masato: *see* Vivatpanachart, Somsak, 132
Sakaguchi, Masato: *see* Vivatpanachart, Somsak, 263
Sakaguchi, Masato: *see* Vivatpanachart, Somsak, 896
San Roman, J.: *see* Madruga, E. L., 951
Sangiorgi, Roberto: *see* Chiappori, Carmen, 534
Santappa, M.: *see* Sudhakar, D., 491
Santappa, M.: *see* Reddy, G. Gangi, 1692
Sarazin, D.: *see* Duplessix, R., 287
Sathapathy, Umashankar: *see* Banerjee, Monoranjan, 1729
Sato, Hisaya: *see* Tanaka, Yasuyuki, 1721
Sato, Kazuo: *see* Ando, Isao, 413
Sato, Mari: *see* Yamaguchi, Noriko, 1464
Sato, Wataru: *see* Kawakami, Yuhsuke, 859
Sauer, J. A.: *see* Woan, Der-jin, 699
Sauviat, M. and Cohen-Addad, J. P.: Polyisobutylene: fractional precipitation from binary solvent induced by non-solvent addition, 461
Saville, B. P.: *see* Dobb, M. G., 960
Sawaguchi, Takashi; Niikuni, Sadayuki; Kuroki, Takeshi and Ikemura, Tadashi: Thermal degradation of synthetic polymers: 16. Estimation of the product yield on the basis of intensity function for thermal gasification of PE, 1403
Sayre, J. A., Assink, R. A. and Lagasse, R. R.: Phase structure characterization of an amine-cured rubber-modified epoxy, 87
Scamporrino, Emilio: *see* Ballistreri, Alberto, 131
Scanlan, J.: *see* Rahaman, M. N., 673
Schmidt, H.: *see* Frank, W. F. X., 17
Schofield, E.: *see* Bamford, C. H., 1227
Schué, Francois: *see* Raynal, Serge, 257
Schué, Francois: *see* Serre, Brigitte, 513, 519
Schué, F.: *see* Abadie, M. J. M., 1076
Schué, F.: *see* Cohen, P., 1316
Schwartz, T.; Sabbadin, J. and Francois, J.: Unperturbed dimensions of polyacrylamide in salt–water–methanol mixtures, 609
Schweitzer, Eric: *see* Cook, Robert, 1283
Sebastian, M. and Plucinski, J.: Amide group formation during oxidation of poly(oxyalklene) derivatives of ethylenediamine, 956
Sebenik, A., Osredkar, U. and Vizovisek, I.: Reaction between resorcinol and formaldehyde, 804
Seferis, James C.: *see* Wedgewood, Alan R., 966
Sekine, Yoshiro: *see* Nagase, Yu, 1607
Semlyen, J. A.: *see* Bannister, D. J., 377
Sergot, P., Laupretre, F., Louis, C. and Virlet, J.: A lineshape study of molecular motion in a mesomorphic aryl–aliphatic polyester by proton-decoupled ^{13}C solid state n.m.r., 1150
Serre, Brigitte; Rubio, Serge; Sledz, Joseph; Schué, Francois and Chapelet-Letourneux, Gilbert: Aminotelechelic polymer synthesis with $TiCl_3/NH_2OH$ redox system in hydrochloric aqueous phase: 2. Polymerization of methylmethacrylate, 513: 3., 519
Shackley, A. T.: *see* Epton, R., 553

Shankar, V.: Influence of interfacial resistance on kinetics of sorption, 748
Shapiro, J. S.: *see* Atkins, E. D. T., 1161
Sherrington, D. C.: *see* Ledwith, A., 143
Sherrington, D. C.: *see* MacKenzie, W. M., 431
Shima, Mikiko: *see* Yamaguchi, Noriko, 1464
Shimada, S., Hori, Y. and Kashiwabara, H.: Relation between diffusion controlled decay of radicals and α-relaxation in PE and polyoxymethylene, 1377
Shimada, Shigetaka and Kashiwabara, Hisatsugu: Mobility and e.s.r. spectra of alkyl free radicals trapped in irradiated mats of solution-grown PE, 1385
Shimada, Toshio and Porter, Roger S.: Crystalline state extrusion of melt-crystallized and solution-grown crystals of nylon-6 and -6,6, 1124
Shimizu, Sanae: *see* Ochiai, Hiroshi, 1456
Shimizu, Toshio: Dilute solution properties of maleic anhydride and maleic acid copolymers, 231
Shimizu, Toshio and Minikata, Akira: Viscosity and osmotic second virial coefficient of maleic acid copolymers in aqueous solutions, 1500
Shlyapnikov, Yu. A.: *see* Bagdonaite, V. A., 145
Shrivastava, S. K. and Srivastava, A. P.: Charge and discharge of organic dye-doped polymeric matrix, 765
Shrivastava, S. K., Ranade, J. D. and Srivastava, A. P.: Effect of electrode material on thermally stimulated discharge and dark current in PS, 1645
Shuldiner, Alan: *see* Cook, Robert, 1283
Siekmann, G.: *see* Mackley, M. R., 437
Sigaud, G.: *see* Noel, C., 578
Sigwalt, P.: *see* Guyot, P., 1724
Sillescu, H.: *see* Hentschel, R., 1516
Simon, A.: *see* Keszler, B., 818
Simmons, W. F.: *see* Kusy, R. P., 268
Singh, B. P.: *see* Chandra, R., 523
Singh, S.: *see* Chandra, R., 523
Singhal, R. P.: *see* Gupta, A. K., 285
Sjoerdsma, S. D., Bleijenberg, A. C. A. M. and Heikens, D.: Poisson ratio of polymer blends, effects of adhesion and correlation with the Kerner packed grains model, 619
Sledz, Joseph: *see* Raynal, Serge, 257
Sledz, Joseph: *see* Serre, Brigitte, 513, 519
Small, P. W.: *see* Epton, R., 842
Smit, I. and Bezjak, A.: Structural changes in the grafted copolymer PE–styrene, 590
Smith, A. C.: *see* Briscoe, B. J., 1587
Smith, L. S. A.: Effects of heating extruded PS above T_g in dry and aqueous environments, 822
Smith, R. H.: *see* DeVries, K. K., 1460
Smith, Thor L. and Adam, Randall E.: Tensile deformations, effect on gas transport in glassy polymer films, 299
Snyder, Randy W. and Painter, Paul C.: Normal coordinate analysis of isotactic PS: 1. A force field for monosubstituted alkyl benzenes, 1629
Snyder, Randy W. and Painter, Paul C.: Normal coordinate analysis of isotactic PS: 2. The normal modes and dispersion curves of the polymer, 1633
Solaro, Roberto: *see* Galli, Giancarlo, 1088
Soszyńska, H.: *see* Kunert, K. A., 1355
Soszyńska, H.: *see* Kunert, K. A., 1677
Souel, T.: *see* Abadie, M. J. M., 1076
Soutar, I.: *see* Phillips, D., 293
Soutar, I.: *see* Phillips, D., 427
Spiess, H. W.: *see* Hentschel, R., 1516
Squire, D. R.: *see* Deffieux, A., 1575
Srinivasan, K. S. V.: *see* Sudhakar, D., 491
Srinivasan, M.: *see* Srinivasan, P. R., 1290
Srinivasan, P. R., Mahadevan, V. and Srinivasan, M.: Polybenzimidazoles containing dibenzothiophenediyl or 5,5-dioxodibenzothiophenediyl units, preparation and properties, 1290
Srivastava, A. K. and Mathur, G. N.: Copolymerization of styrene with methyl methacrylate in presence of $ZnCl_2$, 391
Srivastava, A. P.: *see* Shrivastava, S. K., 765
Srivastava, A. P.: *see* Shrivastava, S. K., 1645
Staniland, P. A.: *see* Attwood, T. E., 1096
Stannett, V.: *see* Allen, S. M., 912
Stannett, V.: *see* Deffieux, A., 1575
Stein, R. S.: *see* Wignall, G. D., 886
Stejskal, Jaroslav and Kratochvil, Pavel: Potential antefacts in the determination of the optical anisotropy of macromolecules by light scattering, 1301
Stephenson, P. J.: *see* Clark, D. T., 1112
Stephenson, P. J.: *see* Clark, D. T., 1303
Stickler, Manfred and Meyerhoff, Günther: Thermal polymerization of methyl methacrylate: 5. High conversion reaction at 130°C, 928
Stilbs, P.: *see* Nyström, B., 218
Stilbs, Peter and Moseley, Michael E.: ^{13}C spin relaxation study of short-chain PS in deutero-chloroform solution, 321
Stivic, I.: *see* Jalsenjak, I., 847
St-Pierre, L. E.: *see* Brebner, K. I., 56
Strivens, T. A.: Phase separation of binary copolymers from solution non-solvent mixtures in relation to copolymer structure, and polymer–solvent interactions, 1391
Strohmeier, W.: *see* Frank, W. F. X., 615
Subramanian, R. V.: *see* Williams, R. V., 934
Sudhakar, D., Srinivasan, K. S. V., Joseph, K. Thomas and Santappa, M.: Grafting of methyl methacrylate onto cellulose nitrate initiated by benzoyl peroxide, 491
Sugihara, Mizuho: *see* Uragami, Tadashi, 240
Sugihara, Mizuho: *see* Tamura, Masahiro, 829
Sugihara, Mizuho: *see* Uragami, Tadashi, 1155
Suparno, Satira: *see* Raynal, Serge, 257
Syatkowsky, A. I., Denisova, T. T., Abramenko, E. L., Khatchaturov, A. S. and Babitsky, B. D.: Stereoselectivity of the ring-opening polymerization of cyclo-octadiene-1,5, 1554
Szöcs, František: *see* Borsig, Eberhard, 1400

Tachibana, Akitomo: *see* Ohsaku, Masaru, 1346
Tadokoro, Hiroyuki: *see* Tashiro, Kohji, 1312
Tadokoro, Yuji: *see* Ochiai, Hiroshi, 1456
Tadros, Th. F.: *see* Barnett, K. G., 283
Tagawa, Takashi: *see* Arai, Yoshihiro, 273
Tagle, L. H.: *see* Frigerio, P. F., 1571
Tai, Kazuo: *see* Arai, Yoshihiro, 273
Takács, E.: *see* Keszler, B., 818
Takano, Kohji: *see* Tashiro, Kohji, 1312
Talwar, S. S.: *see* Patil, A. O., 434
Tamura, Masahiro; Uragami, Tadashi and Sugihara, Mizuho: Special polymer membranes: 30. Ultrafiltration and dialysis characteristics of cellulose nitrate–poly(vinyl pyrrolidone) polymer blend membranes, 829
Tan, Y. Y.: *see* Koetsier, D. W., 1709
Tanaka, Nobuyuki: Conformational effects on melting point depression of atactic PP and ethylene–propylene copolymers, 647
Tanaka, Ryuichi: *see* Tsutsui, Tetsuo, 117
Tanaka, Yasuyuki; Sato, Hisaya and Nakafutami, Yasunobu: Determination of sequence length distribution in SBR by ozonolysis-g.p.c. method, 1721
Tandon, Pravin: *see* Gupta, Santosh K., 481
Tashiro, Kohji; Takano, Kohji; Kobayashi, Masamichi; Chatani, Yozo and Tadokoro, Hiroyuki: Structural study on ferroelectric phase transition of vinylidene fluoride–trifluoroethylene random copolymers, 1312
Tekely, P.: *see* Grobelny, J., 1649
Teranishi, Hiroichi: *see* Arai, Yoshihiro, 273
Thomas, A. G.: *see* Chai, C. K., 399
Thomas, Edwin L.: *see* Roche, Eric J., 333
Thomas, E. L.: *see* Wignall, G. D., 886
Thomas, N. L. and Windle, A. H.: Diffusion mechanics of PMMA–methanol system, 627
Thomason, James L.: *see* Richards, Randal W., 581
Thompson, D.: *see* Cunliffe, A. V., 101
Tieghi, Giuseppe: *see* Danusso, Ferdinando, 1257
Tillin, Sandra J.: *see* Menefee, Emory, 1219
Toda, F.: *see* Niume, K., 649
Toman, L. and Marke, M.: Effect of light and solvent polarity on the preparation of polyisobutylene with isoprene in the presence of VCl_4, 1243
Toporowski, P. M.: *see* Bywater, S., 29
Touloupis, Costas: *see* Kokkiaris, Dionysis, 63
Tramontini, Maurilio: *see* Andreani, Franco, 270
Tsay, Leelan: *see* Mijovic, Jovan, 902
Tsonis, Christos P.: *see* Hwang, James S., 1462
Tsutsui, Tetsuo and Tanaka, Ryuichi: Network polymers prepared from poly(γ-butyl L-glutamate)-butyl acrylate system, 117
Turner, D. T.: *see* Glans, J. H., 1540
Turner, J. D.: *see* Barnett, K. G., 283
Turska, E.: *see* Grobelny, J., 1649
Turturro, Antonio: *see* Chiappori, Carmen, 534

Uragami, Tadashi; Fujimoto, Motohiro and Sugihara, Mizuho: Polymer membranes: 27. PS sulphonic acid concentration using poly(vinylidene fluoride) membranes, 240
Uragami, Tadashi: *see* Tamura, Masahiro, 829
Uragami, Tadashi; Ohsumi, Yoshiaki and Sugihara, Mizuho: Special polymer membranes: 35. Preparation and permeation characteristics of chitin membranes, 1155
Utah, Stanley I.: *see* Burrows, Hugh D., 1740
Uytterhoeven, H.: *see* Guyot, P., 1724

Valera, Nestor S. and Hendricker, David G.: Polystyryl-1,5-naphthyridine and polystyrylpyrido[2,3-b]pyrazine and their copper(II) complexes, preparation, 1007
Van Bogart, J. W. C., Bluemke, D. A. and Cooper, S. L.: Annealing-induced morphological changes in segmented elastomers, 1428
Varnell, D. F.: *see* Coleman, M. M., 762
Varnell, D. F. and Coleman, M. M.: *FT* i.r. studies of polymer blends: V. Further observations on polyester–poly(vinyl chloride) blends, 1324
Varshney, S. K.: *see* Bajaj, P., 372
Vasanthakumari, R.: Eutectic crystallization of poly(L-lactic acid) and pentaerythrityl tetrabromide, 862

Velickovič, J.: *see* Cowie, J. M. G., 327
Vert, Michel, Braud, Christian and Huguet, Yovanka: O.r.d.-c.d. and protonation of amide containing polymers in strong acid media: 1. Poly(−)1,2-diaminopropane sebacamide, 1683
Vincent, B.: *see* Barnett, K. G., 283
Vivatpanachart, Somsak; Nomura, Hiroysau; Miyahara, Yutaka; Kashiwabara, Hisatsugu and Sakaguchi, Masato: Spin-trapped radical from ball-milling PE powder with nitrosobenzene, 132
Vivatpanachart, Somsak; Nomura, Hiroyasu; Miyahara, Yutaka; Kashiwabara, Hisatsugu and Sakaguchi, Masato: E.s.r. study on radicals in PE induced by ball-milling, 263
Vivatpanachart, Somsak; Nomura, Hiroyasu; Miyahara, Yutaka; Kashiwabara, Hisatsugu and Sakaguchi, Masato: Annealing and melting effects on molecular motion of spin-trapped chain-end radicals located on PE surface, e.s.r. study, 896
Vizovisek, I.: *see* Sebenik, A., 804
Vofsi, David: *see* Bikson, Benjamin, 640
Vorenkamp, E. J. and Challa, G.: Association of stereoregular poly(methyl methacrylates): 5. Stereo-complex formation in dilute solutions, 1705
Vyvoda, J. C.: *see* Gilbert, M., 1134

Wadehra, B. M. L.: *see* Khan, H. U., 488
Wai, M. P.: *see* Wignall, G. D., 886
Walker, S. M.: *see* Ledwith, A., 435
Walsh, D. J., Higgins, J. S., Doubé, C. P. and McKeown, J. G.: Small-angle scattering on PVC and PVC blends, 168
Walsh, D. J., Lainghe, Shi and Zhikuan, Chai: High M. wt. compatible polymers, showing *UCST* behaviour, 1005
Walzade, S. J.: *see* Jog, J. P., 865
Wandelt, B., Kryszewski, M. and Kowalski, P.: Pyrolysis of PS-poly(2,6-dimethyl-1,4-phenyleneoxide) mixtures and graft copolymers, 1236
Ward, I. M.: *see* Wilding, M. A., 870
Ward, I. M.: *see* Hine, P. J., 1745
Warfield, R. W.: *see* Pastine, D. John, 1754
Warner, F. P., Brown, D. S. and Wetton, R. E.: Interlamellar crystallization in poly(tetramethylene oxide), 1349
Warner, M.: *see* Ball, R. C., 1010
Waterhouse, J.: *see* Hodge, P., 1153
Weaver, T. J. and Harrison, I. R.: SAXS-Isothermal annealing and swelling studies on PE from dilute solution, 1590
Wedgewood, Alan R. and Seferis, James C.: Dynamic mechanical properties of polymers measured with the Rheovibron, error analysis and modelling of non-linear stress–strain behaviour, 966
Weeks, J. J., Clark, E. S. and Eby, R. K.: Crystal structure of the low temperature phase(II) of PTFE, 1480
Weeks, J. J., Eby, R. K. and Clark, E. S.: Disorder in the crystal structures of phases I and II of copolymers of tetrafluoroethylene and hexafluoropropylene, 1496
Wejchan-Judek, Maria; Rogal, Eugeniusz and Zuk, Aleksander: Poly-*p*-phenylene sulphide synthesis by oxidation of thiophenol with thionyl chloride in presence of $AlCl_3$, 845
Wetton, R. E.: *see* Warner, F. P., 1349
Wichterle, O.: *see* Matějka, L., 1511
Widmaier, J. M.: *see* Meyer, G. C., 995
Wignall, G. D., Hendricks, R. W., Koehler, W. C., Lin, J. S., Wai, M. P., Thomas, E. L. and Stein, R. S.: Single chain form factor measurements by SANS from PS blends with high concentration of labelled molecules, 886
Wilding, M. A. and Ward, I. M.: Creep and recovery of ultra high modulus PE, 870
Willcocks, P. H.: *see* Blundell, D. J., 704
Williams, Andrew: *see* Harun, M. Ghazali, 946
Williams, G.: *see* Moscicki, J. K., 571
Williams, G.: *see* Moscicki, J. K., 1361
Williams, Graham: *see* Moscicki, Josef K., 1451
Williams, R. S. and Subramanian, R. V.: Organotin epoxy polymers from tri-n-butyltin esters of ω-amino acids, synthesis and properties, 934
Willis, H. A.: *see* Frank, W. F. X., 17
Willis, H. A., Reddish, W., Buckingham, K. A., Llewellyn-Jones, D. T., Knight, R. J. and Gebbie, H. A.: Measurement of absorption spectrum of PTFE, 20
Willis, H. A.: *see* Glotin, M., 731
Windle, Alan H.: *see* Lovell, Richard, 175
Windle, A. H.: *see* Thomas, N. L., 627
Wlochowicz, Andrzej and Eder, Marek: Crystallization kinetics of isotactic PP by i.r. spectroscopy, 1285
Woan, Der-jin, Habibullah, M. and Sauer, J. A.: Fatigue characteristics of high impact PS, 699
Wright, P. V.: *see* Parker, J. M., 1305
Wunderlich, Bernhard: *see* Menczel, Jozsef, 778

Yamaguchi, Noriko; Sato, Mari; Ogawa, Etsuyo and Shima, Mikiko: Dipole moment of poly-*p*-chlorostyrene, 1464
Yamashita, Yuya: *see* Kawakami, Yuhsuke, 859

Zaki, A. B.: *see* Morsi, S. E., 942
Zhikuan, Chai: *see* Walsh, D. J., 1005
Ziska, J. J., Barlow, J. W. and Paul, D. R.: Miscibility in PVC–polyester blends, 918
Zrinyi, M., Molnár, T. and Horváth, E.: Poly(vinyl acetate) networks swollen in isopropyl alcohol below θ-temperature, 429
Zuchowska, Danuta: Polybutadiene modified by epoxidation: 2. Effect of epoxy groups on crosslinking process with dicumyl peroxide, 1073
Zuk, Aleksander: *see* Wejchan-Judek, Maria, 845